


Replaces Exmark Lazer Z S-Series Parts



Zero Turn Mower with 60in Deck - Models LZS749AKC604A1, LZS801GKA604A1, LZS850EKA604W0 Caster Wheel





Replaces Exmark Lazer Z S-Series Parts



Zero Turn Mower with 60in Deck - Models LZS749AKC604A1, LZS801GKA604A1, LZS850EKA604W0 Caster Wheel

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
Tires	& Wheels							
0	TIRES		Click Here to View Complete Tire Selection	0				
31	R109-9127	109-9127	Tire & Wheel - 13x6.50-6 Flat Free	2				
Optio	nal Michelin Tweel	Tires						
40	RTMT73818	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Grooved - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2				
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
40	RTMT41011	109-9127, 117-0361, 126-3289, 126-4860	Michelin X Tweel Turf Caster Smooth - 13x6.5N6 (5/8in Mount) 290 lb Max Load	2				
	Detail Description: Michelin X Tweel Turf casters replace the existing front casters on zero turn radius mowers, and completely eliminate the risk of flat tires. They have a consistent hub height which helps ensure the mower deck produces an even cut, while the poly-resin spokes help dampen the ride for enhanced operator comfort, even when navigating over curbs and other bumps. They are designed to provide a long wear life.:							
41	RTMT40653		Michelin Spacer - 1/2in ID x 1in OD	4				
Othe	r parts Available							
50	R116-8888	103-1474-01, 1166707-01, 116-6707-01	Fork - Caster 7.875 in Inside	2				
51	R325-39	325-39	Bolt - Hx HD 1/2-13 x 9 1/2	2				
52	R103-2768	103-2768	Guard - Seal	4				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



Replaces Exmark Lazer Z S-Series Parts



Zero Turn Mower with 60in Deck - Models LZS749AKC604A1, LZS801GKA604A1, LZS850EKA604W0 Caster Wheel

53 R103-3051 103-3051 Spacer - Nut - Hardened 4 54 R103-5156 103-5156 Axle- Caster 2 55 R103-0063 103-0063 Seal - Grease 4 56 R254-78 1-633585 Tapered Bearing Cone 4 57 R254-79 1-633584, R. R. ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 58 RF5003 3296-23 Locknut - ESNA 1/2-13 2 59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R. R. ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 4 61 R116-5647 Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66		R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
55 R103-0063 103-0063 Seal - Grease 4 56 R254-78 1-633585 Tapered Bearing Cone 4 57 R254-79 1-633584, R. & R. ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 2 58 RF5003 3296-23 Locknut - ESNA 1/2-13 2 59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R. & RONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 4 61 R116-5647 116-5647, R. & RONLY Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 7 R500596 R 8-R DNLY	53	R103-3051	103-3051	Spacer - Nut - Hardened	4				
56 R254-78 1-633585 Tapered Bearing Cone 4 57 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 58 RF5003 3296-23 Locknut - ESNA 1/2-13 2 59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 61 R116-5647 Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 67 R500596 R 8 R ONLY Tapered Bearing Set - Cup and 4	54	R103-5156	103-5156	Axle- Caster	2				
57 R254-79 1-633584, R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 58 RF5003 3296-23 Locknut - ESNA 1/2-13 2 59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 61 R116-5647 Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 67 R500596 R & R ONLY Tapered Bearing Set - Cup and 4	55	R103-0063	103-0063	Seal - Grease	4				
R & R ONLY Cup - Bearing 4 Detail Description: Use R254-79M installation mandrel to properly install race.: 58 RF5003 3296-23 Locknut - ESNA 1/2-13 2 59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 2 61 R116-5647 Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 7 R500506 R 8 R R ONLY Tapered Bearing Set - Cup and 4	56	R254-78	1-633585	Tapered Bearing Cone	4				
58 RF5003 3296-23 Locknut - ESNA 1/2-13 2 59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 61 R116-5647 Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 Tapered Bearing Set - Cup and 4	57	R254-79		Cup - Bearing	4				
59 R126-5361 126-5361 Axle Assy - with Bushing - Caster 2 60 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 61 R116-5647 Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 Tapered Bearing Set - Cup and 4		Detail Description: Use R254-79M installation mandrel to properly install race.:							
Caster 60 R500534 1-633585, R & R ONLY Bearing - with Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 61 R116-5647 116-5647, R & R ONLY Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 7 R500596 R 8 R ONLY Tapered Bearing Set - Cup and 4	58	RF5003	3296-23	Locknut - ESNA 1/2-13	2				
R & R ONLY Bearing - With Cup 4 Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone: 61 R116-5647 \$116-5647, R & R ONLY \$Seal - Grease 2 62 R254-94 \$1-543509 Tapered Bearing Cone 4 63 R254-72 \$1-543508 Cup - Bearing 4 64 R1-633508 \$1-633508 Washer - Spring Disc 6 65 R3296-51 \$3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 \$103-4882 Grease Cap - Castor 2 7 R500596 \$103-4882 <	59	R126-5361	126-5361		2				
61 R116-5647 116-5647, R & R ONLY Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 7 R500596 R 8 R ONLY Tapered Bearing Set - Cup and 4	60	R500534		Bearing - with Cup	4				
61 RT16-5647 R & R ONLY Seal - Grease 2 62 R254-94 1-543509 Tapered Bearing Cone 4 63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 67 R500596 R & R ONLY Tapered Bearing Set - Cup and 4		Detail Description: Kit includes: 1 ea R254-78- Bearing Cone & R254-79 Bearing Cone:							
63 R254-72 1-543508 Cup - Bearing 4 64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 7 R500596 R 8 8 R ONLY Tapered Bearing Set - Cup and 4	61	R116-5647		Seal - Grease	2				
64 R1-633508 1-633508 Washer - Spring Disc 6 65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 Grease Cap - Castor 2 67 R500596 R & R & R ONLY Tapered Bearing Set - Cup and 4	62	R254-94	1-543509	Tapered Bearing Cone	4				
65 R3296-51 3296-51 Nut - Nylon Lock 3/4-10 Gr 8 2 66 R103-4882 103-4882 Grease Cap - Castor 2 67 R500596 R & R & R ONLY Tapered Bearing Set - Cup and 4	63	R254-72	1-543508	Cup - Bearing	4				
66 R103-4882 103-4882 Grease Cap - Castor 2 67 R500596 R & R & R ONLY Tapered Bearing Set - Cup and 4	64	R1-633508	1-633508	Washer - Spring Disc	6				
67 R500596 R & R ONLY Tapered Bearing Set - Cup and 4	65	R3296-51	3296-51	Nut - Nylon Lock 3/4-10 Gr 8	2				
n/ kalilann kalkululy	66	R103-4882	103-4882	Grease Cap - Castor	2				
	67	R500596	R & R ONLY		4				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.