




# Replaces R&R Products Sand Max 216

## Parts

Attachments  
Front Blade



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 216

## Parts

Attachments  
Front Blade



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

### Complete Front Blade Kit

|   |        |  |                 |   |  |
|---|--------|--|-----------------|---|--|
| 1 | R08821 |  | Front Blade Kit | 0 |  |
|---|--------|--|-----------------|---|--|

### Other Parts Available

|    |             |                                                                                         |                               |    |  |
|----|-------------|-----------------------------------------------------------------------------------------|-------------------------------|----|--|
| 2  | R84-2460-03 | 84-2460-03,<br>R80-1190,<br>R84-2460                                                    | Blade Assy                    | 1  |  |
| 3  | R3296-39    | 3296-39,<br>R32127-25,<br>R32128-36,<br>R3296-17,<br>R3296-22,<br>R915663P,<br>R99-7443 | Locknut - 3/8-16 Nylon        | 6  |  |
| 4  | R16-1019    | 16-1019,<br>R80-1820                                                                    | Channel                       | 1  |  |
| 5  | R323-17     | 323-17                                                                                  | Bolt - Hex HD 3/8-16 x 4      | 4  |  |
| 6  | R19H3130    | 322-9,<br>R322-9,<br>R3223-5                                                            | Bolt - Hex HD 5/16-18 x 1-3/4 | 2  |  |
| 7  | R92-2314    | 92-2314,<br>R80-1850                                                                    | Handle                        | 1  |  |
| 8  | R3296-29    | 3296-29,<br>R1-804256,<br>R915662P                                                      | Locknut - 5/16-18 ESNA        | 18 |  |
| 9  | R93-9078    | 93-9078                                                                                 | Decal-Safety                  | 1  |  |
| 10 | R80-1890    | 80-1890                                                                                 | Spacer                        | 4  |  |
| 11 | R92-2308-03 | 92-2308-03,<br>R92-2308                                                                 | RH Arm Assy                   | 1  |  |
| 12 | R92-2319-03 | 92-2319-03,<br>R92-2319                                                                 | RH Plate Assy                 | 1  |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 216

## Parts

Attachments  
Front Blade



| Item No | R&R Part No.    | OEM Part No.                                                                                                           | Description                     | Qty Req | Order Quantity |
|---------|-----------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------|---------|----------------|
| 13      | <b>RF5003</b>   | 3296-23,<br>R32127-29,<br>R32131-5,<br>R32132-5,<br>R3296-23,<br>R64229-05,<br>RZS04021-07                             | Locknut - ESNA 1/2-13           | 6       |                |
| 14      | <b>R322-12</b>  | 322-12,<br>R01-150-0730,<br>R01-178-0520                                                                               | Bolt - 5/16-18 x 2 1/2 Hx HD    | 2       |                |
| 15      | <b>R323-6</b>   | 323-6,<br>R01-150-0010,<br>R01-178-0608,<br>R20-47-AD,<br>R20-47-AGD,<br>R3224-2,<br>R49-3510,<br>R908034P,<br>R908332 | Bolt - Hex HD 3/8-16 x 1 GR5 YZ | 2       |                |
| 16      | <b>R322-11</b>  | 322-11,<br>R01-150-0390,<br>R01-178-0518,<br>R20-31-AD,<br>R3223-7                                                     | Bolt - 5/16-18 x 2 1/4 Hx HD    | 2       |                |
| 17      | <b>R80-1460</b> | 80-1460                                                                                                                | Rod-Spring                      | 2       |                |
| 18      | <b>R70-8040</b> | 70-8040                                                                                                                | Washer                          | 2       |                |
| 19      | <b>R80-1470</b> | 80-1470                                                                                                                | Spring - Stainless              | 2       |                |
| 20      | <b>R3272-12</b> | 3272-12,<br>R01-151-0090,<br>R28-19-D                                                                                  | Pin - Cotter 1/8 x 1-1/4        | 2       |                |
| 21      | <b>R3256-26</b> | 3256-26,<br>R01-166-0540,<br>R01-166-0820,<br>R17-2530,<br>R24-13-BD,<br>R30-8570,<br>R356206,<br>R48-9390             | Washer - 1/2 in                 | 14      |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 216

## Parts

Attachments  
Front Blade



| Item No | R&R Part No.       | OEM Part No.                                                                                                                                                                           | Description                  | Qty Req | Order Quantity |
|---------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 22      | <b>R80-1860-03</b> | 80-1860-03,<br>R80-1860                                                                                                                                                                | Handle Upright Assy          | 2       |                |
| 23      | <b>R92-2318-03</b> | 92-2318-03,<br>R92-2318                                                                                                                                                                | LH Plate Assy                | 1       |                |
| 24      | <b>R27-6602</b>    | 27-6602                                                                                                                                                                                | Spacer-Coupling              | 4       |                |
| 25      | <b>R76-4660</b>    | 76-4660                                                                                                                                                                                | Spring-Door                  | 2       |                |
| 26      | <b>R3218-3</b>     | 3218-3,<br>R01-191-0616,<br>R22-13-AJKD,<br>R443810,<br>R915236P                                                                                                                       | Nut - 3/8-16 Jam             | 2       |                |
| 27      | <b>R323-9</b>      | 323-9,<br>R01-150-0190,<br>R01-150-1540,<br>R01-178-0614,<br>R107229,<br>R20-50-AD,<br>R20-50-AGD,<br>R30-9430,<br>R32105-4,<br>R3224-5,<br>R513363,<br>R513364,<br>R5377,<br>R908037P | Bolt - Hex HD 3/8-16 x 1-3/4 | 2       |                |
| 28      | <b>R92-2307-03</b> | 92-2307-03,<br>R92-2307                                                                                                                                                                | LH Arm Assy                  | 1       |                |
| 29      | <b>R92-2315</b>    | 92-2315                                                                                                                                                                                | Bolt-Shoulder                | 2       |                |
| 30      | <b>R3290-450</b>   | 3290-450                                                                                                                                                                               | Washer-Belleville            | 2       |                |
| 31      | <b>R92-2320</b>    | 92-2320                                                                                                                                                                                | Lever-Latch                  | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 216

## Parts

Attachments

Front Blade



| Item No | R&R Part No.       | OEM Part No.                                                                                                                                                   | Description                  | Qty Req | Order Quantity |
|---------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 32      | <b>R443106</b>     | 3218-2,<br>443106,<br>R01-188-0518,<br>R09003,<br>R22-12-AJD,<br>R32111-4,<br>R3217-4,<br>R3217-6,<br>R513295,<br>R513412,<br>R915112P,<br>R915978,<br>R915979 | Nut - 5/16-18 Y/Zinc Plated  | 2       |                |
| 33      | <b>R400408</b>     | 325-6,<br>R01-150-0090,<br>R01-178-0812,<br>R20-87-AD,<br>R20-87-AGD,<br>R20-87-AGF,<br>R3226-2,<br>R325-6,<br>R513376,<br>R513378                             | Bolt - Hex HD 1/2-13 x 1-1/2 | 2       |                |
| 34      | <b>R92-2313-03</b> | 92-2313-03,<br>R92-2313                                                                                                                                        | Arm-Lift                     | 2       |                |
| 35      | <b>R80-1300</b>    | 80-1300                                                                                                                                                        | Bolt-Shoulder                | 2       |                |
| 36      | <b>R257-5</b>      | 257-5                                                                                                                                                          | Washer - Thrust              | 4       |                |
| 37      | <b>R92-2324</b>    | 92-2324                                                                                                                                                        | Bracket-Pivot                | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 216

## Parts

Attachments

Front Blade



| Item No | R&R Part No. | OEM Part No.                                                                                                                                                                                                                                                                                                      | Description                  | Qty Req | Order Quantity |
|---------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|---------|----------------|
| 38      | R453011      | 3256-24,<br>453011,<br>R01-166-0100,<br>R01-166-0120,<br>R01-166-0270,<br>R01-166-0500,<br>R01-166-0600,<br>R01-166-0620,<br>R132-4593,<br>R237-12,<br>R24-10-AD,<br>R24-11-AD,<br>R24-11-BD,<br>R24-12-AD,<br>R24-12-BD,<br>R30-9310,<br>R32-8190,<br>R3256-24,<br>R3256-3,<br>R3256-36,<br>R3256-4,<br>R47-9950 | Washer - Flat 3/8 SAE Y/Zinc | 2       |                |
| 39      | R322-5       | 322-5,<br>R01-178-0508,<br>R19H1905,<br>R20-26-AD,<br>R20-26-AGD,<br>R30-9000,<br>R400188,<br>R513341,<br>R519755,<br>R908019P                                                                                                                                                                                    | Bolt - Hex HD 5/16-18 x 1    | 4       |                |
| 40      | R92-2326-03  | 92-2326-03,<br>R92-2326                                                                                                                                                                                                                                                                                           | RH Bracket Assy              | 1       |                |
| 41      | R92-2325-03  | 92-2325-03,<br>R92-2325                                                                                                                                                                                                                                                                                           | LH Bracket Assy              | 1       |                |
| 42      | R325-5       | 325-5,<br>R01-150-0250,<br>R01-178-0810,<br>R19-8000,<br>R20-86-AGD,<br>R3226-1,<br>R513375                                                                                                                                                                                                                       | Bolt - Hex HD 1/2-13 x 1-1/4 | 4       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces R&R Products Sand Max 216

## Parts

Attachments  
Front Blade



| Item No | R&R Part No.       | OEM Part No.                                                                            | Description              | Qty Req | Order Quantity |
|---------|--------------------|-----------------------------------------------------------------------------------------|--------------------------|---------|----------------|
| 43      | <b>R80-1210</b>    | 80-1210                                                                                 | Block-Mounting           | 2       |                |
| 44      | <b>R92-2311-03</b> | 92-2311-03,<br>R92-2311                                                                 | LH Bracket Assy          | 1       |                |
| 45      | <b>R92-2312-03</b> | 92-2312-03,<br>R92-2312                                                                 | RH Bracket Assy          | 1       |                |
| 46      | <b>R3290-495</b>   | 3290-495,<br>R32-0140                                                                   | Pin-Klik                 | 2       |                |
| 47      | <b>R256-317</b>    | 256-317                                                                                 | Bushing                  | 2       |                |
| 48      | <b>R257-11</b>     | 257-11                                                                                  | Washer - Thrust Hardened | 4       |                |
| 49      | <b>R92-2323</b>    | 92-2323,<br>R80-1840                                                                    | Pin                      | 2       |                |
| 50      | <b>R3230-2</b>     | 3230-2,<br>R01-173-0508,<br>R25-25-AGD,<br>R513624,<br>R513633,<br>R513635,<br>R900038P | Bolt - Carriage          | 8       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.